

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050180387".pn. and acknowled\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 16:09
L2	26	("5651006" "5438614" "6639893" "6044468" "6519635" "6032197" "6519635" "6032197" "6236341" "6539540" "20020052946" "20010044822" "6421425" "20020029228" "20020188708").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 16:17
S1	2	(@pd < "20020408" @ad < "20020412") and snmp\$2 with extract \$4 with udp\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 08:23
S2	1	(@pd < "20020408" @ad < "20020412") and snmp\$2 with (decapsul\$7 de adj capsul\$7) with udp\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 08:24
S3	32	(@pd < "20020408" @ad < "20020412") and snmp\$2 with synchroni\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 08:40
S4	32	(@pd < "20020408" @ad < "20020412") and snmp\$2 with synchroni\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 08:41

S5	7	((@pd < "20020408" @ad < "20020412") and snmp\$2 with synchroni\$7 with (port \$2 interfac\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 09:12
S6	43	((@pd < "20020408" @ad < "20020412") and snmp near2 (manager\$2 and agent \$2) with (interfac\$4 port \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:11
S7	14	((@pd < "20020408" @ad < "20020412") and snmp adj manager \$2 with snmp adj agent \$2 with (interfac\$4 port \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:12
S8	0	((@pd < "20020408" @ad < "20020412") and snmp adj manager \$2 with snmp adj agent \$2 with (interfac\$4 port \$1) same synchroni\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:15
S9	1	((@pd < "20020408" @ad < "20020412") and snmp adj manager \$2 with snmp adj agent \$2 with (interfac\$4 port \$1) and synchroni\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:15
S10	601	((@pd < "20020408" @ad < "20020412") and (bzip zlib)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:56
S11	362	((@pd < "20020408" @ad < "20020412") and (gzip zlib)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:56
S12	26	((@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) and snmp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:57

S13	0	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) same (snmp mib)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:57
S14	0	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (packet\$2 pdu\$2 udp\$1 datagram\$2) and (snmp mib)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:59
S15	5	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (packet\$2 pdu\$2 udp\$1 datagram\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:59
S16	13	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (packet\$2 pdu\$2 udp\$1 datagram\$2 header\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:01
S17	7	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (ip ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:02
S18	0	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:02
S19	7	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) with (tcp ip ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:02
S20	22	{@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2) and udp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:03

S21	1	((@pd < "20020408" @ad < "20020412") and (gzip\$2 zlib\$2 gnu adj zip\$5) same (snmp mib udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:04
S22	233	((@pd < "20020408" @ad < "20020412") and (packet\$2 header \$2 pdu\$1 datagram\$2) with (original near2 size \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:21
S23	9	((@pd < "20020408" @ad < "20020412") and (packet\$2 header \$2 pdu\$1 datagram\$2) with (original near2 size \$2) near4 field\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:21
S24	20	((@pd < "20020408" @ad < "20020412") and (packet\$2 header \$2 pdu\$1 datagram\$2) with (original near2 size \$2) near5 indicat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:23
S25	5	((@pd < "20020408" @ad < "20020412") and (original near2 file \$2 near2 size\$2) same (zlib gzip gnu adj zip\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:31
S26	0	((@pd < "20020408" @ad < "20020412") and ((uncompres\$5 un adj compres\$5 original) near2 file\$2 near2 size \$2) same (mib snmp udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:32
S27	73	((@pd < "20020408" @ad < "20020412") and ascii near3 conver \$5 near3 transmi\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 13:48
S28	817	((@pd < "20020408" @ad < "20020412") and ascii near2 transmi \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 13:51

S29	31	((@pd < "20020408" @ad < "20020412") and ascii near2 transmi \$7 near2 conver\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 13:51
S30	3	((@pd < "20020408" @ad < "20020412") and initial near2 size\$2 same (snmp mib udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:13
S31	65	((@pd < "20020408" @ad < "20020412") and initial near2 size\$2 with (packet\$2 pdu\$2 datagram\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:14
S32	1	((@pd < "20020408" @ad < "20020412") and initial near2 size\$2 with (packet\$2 pdu\$2 datagram\$2) with compres\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:16
S33	0	((@pd < "20020408" @ad < "20020412") and initial near2 size\$2 with (packet\$2 pdu\$2 datagram\$2) with indicat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:17
S34	65	((@pd < "20020408" @ad < "20020412") and initial near2 size\$2 with (packet\$2 pdu\$2 datagram\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:18
S35	1	"20020029228".pn. and "4"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:20
S36	1	"20020029228".pn. and (uncompres\$5 original)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:20

S37	2	"6639893".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:56
-----	---	---------------	---	----	-----	---------------------

1/26/2009 4:23:32 PM

C:\Documents and Settings\ao\My Documents\EAST\Workspaces\10511188
\10511188_3.wsp